

## **IN THE CLAIMS:**

1-14. (Canceled)

15. (Currently Amended) A computer-implemented method of awarding loyalty points to ~~patrons~~ a patron of a gaming establishment on a gaming apparatus, the computer-implemented method comprising:

receiving in the gaming apparatus a first loyalty program instrument ~~designed or configured to store an amount of~~ storing computer readable data representing loyalty points earned from a first activity not associated with the gaming apparatus;

validating the first loyalty program instrument;

receiving activity data associated with ~~an~~ a second activity by the patron of said gaming establishment;

determining based on the activity data that the ~~patron has begun an~~ second activity ~~for which~~ accrues additional loyalty points ~~are to be accrued~~;

accruing the additional loyalty points for the patron during the second activity;

awarding to the patron some or all of the additional loyalty points accrued during the second activity;

combining the ~~awarded~~ additional loyalty points and the ~~amount of~~ loyalty points earned from the first activity; and

issuing to the patron a computer readable loyalty program instrument, ~~said loyalty program instrument different from said first loyalty program instrument, designed or configured to store~~ storing the combined loyalty points thereon as computer readable data.

16. (Previously Presented) The computer-implemented method of claim 15, wherein the gaming establishment is a casino.

17. (Previously Presented) The computer-implemented method of claim 15, wherein the gaming establishment is a gaming entity comprising a plurality of venues.

18. (Currently Amended) The computer-implemented method of claim 15, wherein said second activity is playing a gaming machine of the gaming establishment.

19. (Currently Amended) The computer-implemented method of claim 15, wherein said second activity is playing a game of chance within the gaming establishment.

20. (Currently Amended) The computer-implemented method of claim 15, wherein said first activity is selected from the group comprising a food purchase, an entertainment purchase, a transportation purchase, a lodging purchase, a merchandise purchase and a service purchase.

21. (Currently Amended) The computer-implemented method of claim 20, wherein said second activity occurs in a venue within the gaming establishment.

22. (Currently Amended) The computer-implemented method of claim 20, wherein said second activity occurs in a venue affiliated with the gaming establishment.

23. (Previously Presented) The computer-implemented method of claim 22, wherein the venue affiliated with the gaming establishment is in communication with the gaming establishment via the Internet.

24. (Currently Amended) The computer-implemented method of claim 15, wherein the stored combined loyalty points ~~stored on the loyalty program instrument~~ are redeemable for at least one of comps, goods and services provided by the gaming establishment.

25. (Previously Presented) The computer-implemented method of claim 15, wherein a rate at which the patron accrues loyalty points varies according to one or more of a time of day, days of a week, months of a year, an amount wagered, a game denomination, a promotional event, a game type and a rate of wagering.

26. (Previously Presented) The computer-implemented method of claim 15, wherein the accruing of loyalty points begins without receiving a player tracking card from the patron.

27. (Previously Presented) The computer-implemented method of claim 15, wherein the accruing of loyalty points begins without receiving player tracking information from the patron.

28. (Previously Presented) The computer-implemented method of claim 15, wherein the patron has a player tracking account with the gaming establishment.

29. (Previously Presented) The computer-implemented method of claim 15, wherein the patron has a player tracking account with the gaming establishment, and wherein the accrued loyalty points are awarded to said patron anonymously, without crediting the patron's player tracking account.

30. (Previously Presented) The computer-implemented method of claim 15, further comprising:  
converting some or all of the accrued loyalty points to at least one of goods and services without crediting any of the loyalty points to a player tracking account.

31. (Previously Presented) The computer-implemented method of claim 15, further comprising:  
crediting the loyalty points stored on the loyalty point instrument to a player tracking account of the patron.

32. (Currently Amended) The computer-implemented method of claim 31, wherein the loyalty points are credited to the patron's player tracking account using at least one of a phone, a gaming machine, a clerk validation terminal, a cashier station, a casino kiosk, a hand-held wireless device, a video display interface in a hotel room and ~~via~~ a mailing service.

33. (Currently Amended) The computer-implemented method of claim 15, wherein the first loyalty program instrument is at least one of a printed ticket, a magnetic striped card, a room key, a portable wireless device, and a smart card.

34. (Currently Amended) The computer-implemented method of claim 15, wherein the first loyalty program instrument is ~~designed or~~ configured to store one or more of prize information, loyalty point information, an establishment, a location, a bar code, a instrument type, an issue date, a validation number, an issue time, an instrument number, an instrument sequence number and a machine number.

35. (Currently Amended) The computer-implemented method of claim 15, further comprising:  
redeeming the stored combined loyalty points ~~stored on the loyalty point instrument~~ for one or more of comps, goods, and services using at least one of a phone, a gaming machine, a clerk validation terminal, a cashier station, a casino kiosk, a hand-held wireless device, a web interface, ~~and~~ a video display interface located in a hotel room, and ~~via~~ a mailing service.

36. (Currently Amended) A computer-implemented method of awarding loyalty points to a game player on a gaming machine, the computer-implemented method comprising:

receiving in the gaming machine a first machine readable loyalty program instrument ~~designed or configured to store an amount of~~ storing loyalty points earned from a first activity not associated with the gaming machine;

validating the first loyalty program instrument;

receiving first gaming event data associated with a first gaming activity on the gaming machine;

detecting, based on the first gaming event data, ~~[[a]]~~ the first gaming ~~event~~ activity initiated by the game player at the gaming machine;

in response to detecting the first gaming ~~event~~ activity, accruing loyalty points;

receiving second gaming event data associated with a second gaming activity on the gaming machine;

detecting, based on said second gaming event data, ~~[[a]]~~ the second gaming ~~event~~ activity at the gaming machine;

~~determining an amount of~~ in response to detecting the second gaming activity, accruing additional loyalty points ~~accrued between the first gaming event and the second gaming event;~~

awarding to the game player some or all of the accrued loyalty points and the accrued additional loyalty points;

combining the awarded loyalty points and the ~~amount of~~ earned loyalty points ~~earned from the first activity; and~~

issuing to the game player a machine readable loyalty program instrument, ~~said loyalty program instrument different from said first loyalty program instrument, designed or configured to store~~ storing the combined loyalty points thereon as machine readable data.

37. (Currently Amended) The computer-implemented method of claim 36, wherein the loyalty program instrument is ~~designed or configured to store~~ data representing one or more of prize information, loyalty point information, an establishment, a location, a bar code, a instrument type, an issue date, a validation number, an issue time, an instrument number, an instrument sequence number, and a machine number.

38. (Previously Presented) The computer-implemented method of claim 36, wherein the loyalty program instrument is at least one of a printed ticket, a magnetic striped card, a room key, a portable wireless device and a smart card.

39. (Currently Amended) The computer-implemented method of claim 36, wherein the first gaming event ~~is~~ data represents one or more of depositing an indicia of credit into the gaming machine, inserting a card into a card reader located on the gaming machine, activating an input button on the gaming machine, inputting a loyalty program instrument into a gaming device on the gaming machine, ~~or~~ and entering a code into the gaming machine.

40. (Previously Presented) The computer-implemented method of claim 36, further comprising:  
storing information to the loyalty program instrument.

41. (Currently Amended) The computer-implemented method of claim 36, wherein the second gaming event ~~is~~ data represents one or more of detecting zero credits registered on the gaming machine, the gaming machine remaining idle for an amount of time, detecting a tilt condition, ~~or~~ detecting an error condition, and detecting a game player's request for a loyalty program instrument.

42. (Cancelled).

43. (Currently Amended) The computer-implemented method of claim[[,]] 36, wherein the first machine readable loyalty point instrument is ~~input~~ received into the gaming machine using at least one of a card reader, a wireless interface, a bill validator, and a ticket reader.

44. (Previously Presented) The computer-implemented method of claim 36, further comprising:  
displaying the awarded amount of loyalty points to the game player.

45. (Previously Presented) The computer-implemented method of claim 36, further comprising:  
storing loyalty program transaction information on a memory device located on the gaming machine.

46. (Previously Presented) The computer-implemented method of claim 36, further comprising:

sending loyalty program transaction information to a gaming device located outside of the gaming machine.

47. (Previously Presented) The computer-implemented method of claim 36, further comprising:

- displaying a prize menu wherein the prize menu includes one or more prizes redeemable for an amount of loyalty points;
- receiving a prize selection selected from the one or more prizes displayed on the prize menu; and
- when the amount of loyalty points required to redeem the prize is less than an amount of loyalty points available on the gaming machine,
- issuing a loyalty program instrument wherein said loyalty program instrument is used to redeem the selected prize.

48. (Currently Amended) The computer-implemented method of claim 36, further comprising:

- presenting a game play sequence between the first gaming ~~event~~ activity and the second gaming ~~event~~ activity wherein said game play sequence includes game play of one or more games.

49. (Previously Presented) The computer-implemented method of claim 48, wherein the one or more games is selected from the group consisting of video slot games, mechanical slot games, video black jack games, video poker games, video keno games, video pachinko games, video card games, video games of chance and combinations thereof.

50. (Previously Presented) The computer-implemented method of claim 36, wherein a rate at which the player accrues loyalty points varies according to one or more of a time of day, days of a week, months of a year, an amount wagered, a game denomination, a promotional event, a game type and a rate of wagering.

51. (Previously Presented) The computer-implemented method of claim 36, wherein the loyalty points are accrued without receiving a player tracking card from the game player.

52. (Previously Presented) The computer-implemented method of claim 36, wherein the loyalty points are accrued without receiving player tracking information from the game player.

53. (Previously Presented) The computer-implemented method of claim 36, further comprising:  
performing a loyal program instrument transaction.

54. (Previously Presented) The computer-implemented method of claim 36, further comprising  
presenting on the gaming machine at least one of a particular game, a particular bonus  
game, a game feature and a bonus game feature in exchange for an amount of loyalty points  
redeemed on the gaming machine.

55. (Previously Presented) The computer-implemented method of claim 36, wherein said  
accrued loyalty points are determined by a logic device located on the gaming machine.

56. (Currently Amended) The computer-implemented method of claim 36, ~~wherein a first~~  
further comprising the gaming machine is designed or configured to communicate loyalty point  
communicating information representing loyalty points to a second gaming machine.

57. (Currently Amended) The computer-implemented method of claim 56, further comprising:  
simultaneously accruing loyalty points on the ~~first~~ gaming machine and the second  
gaming machine;  
communicating an amount of loyalty points awarded on the second gaming machine to  
the first gaming machine;  
combining an amount of loyalty points awarded on the second gaming machine with an  
amount of loyalty points awarded on the first gaming machine; and  
issuing a machine readable loyalty program instrument ~~designed or configured to store~~  
storing the combined awarded loyalty points thereon as machine readable data.

58-103. (Cancelled)

104. (Previously Presented) The computer-implemented method of claim 56, further  
comprising: wherein the player tracking points are accrued without initiating a player tracking  
session.

105. (Currently Amended) A gaming apparatus comprising ~~of~~ one or more processors ~~adapted~~  
~~and/or~~ configured for processing the following steps:

receiving in the gaming apparatus a first loyalty program instrument ~~designed or configured to store an amount of~~ storing computer readable data representing loyalty points earned from a first activity not associated with the gaming apparatus;  
 validating the first loyalty program instrument;  
 receiving activity data associated with ~~an~~ a second activity by the patron of said gaming establishment;  
 determining based on the activity data that the ~~patron has begun an~~ second activity ~~for which~~ accrues additional loyalty points ~~are accrued~~;  
 accruing the additional loyalty points for the patron during the second activity;  
 awarding to the patron some or all of the additional loyalty points accrued during ~~said the~~ second activity;  
 combining the ~~awarded~~ additional loyalty points and the ~~amount of~~ loyalty points earned from the first activity; and  
 issuing ~~to the patron a~~ computer readable loyalty program instrument, ~~said loyalty program instrument different from said first loyalty program instrument, designed or configured to store~~ storing the combined loyalty points thereon as computer readable data.

106. (Currently Amended) A gaming machine comprising ~~of~~ one or more processors ~~adapted and/or~~ configured for processing the following steps:

receiving in the gaming machine a first machine readable loyalty program instrument ~~designed or configured to store an amount of~~ storing loyalty points earned from a first activity not associated with the gaming ~~apparatus~~ machine;  
 validating the first loyalty program instrument;  
 receiving first gaming event data associated with a first gaming activity on the gaming machine;  
 detecting, based on the first gaming event data, ~~[[a]]~~ the first gaming event activity initiated ~~by the game player~~ at the gaming machine;  
 in response to detecting the first gaming ~~event~~ activity, accruing loyalty points;  
 receiving second gaming event data associated with a second gaming activity on the gaming machine;  
 detecting, based on the second gaming event data, ~~[[a]]~~ the second gaming event activity at the gaming machine;  
~~determining an amount of~~ in response to detecting the second gaming activity, accruing additional loyalty points ~~accrued between the first gaming event and the second gaming event~~;



awarding ~~to the game player~~ some or all of the accrued loyalty points and the accrued additional loyalty points; ~~and~~

combining the awarded loyalty points and the ~~amount of~~ earned loyalty points ~~earned from the first activity~~; and

issuing ~~to the game player~~ a machine readable loyalty program instrument, ~~said loyalty program instrument different from said first loyalty program instrument, designed or configured to store~~ storing the combined loyalty points thereon as machine readable data.

107. (New) The computer-implemented method of claim 15, wherein the issued computer readable loyalty program instrument is the received first loyalty program instrument updated with the stored combined loyalty points.

108. (New) The computer implemented method of claim 15, wherein the issued computer readable loyalty program instrument is new.

109. (New) The computer-implemented method of claim 36, wherein the issued machine readable loyalty program instrument is the received first machine readable loyalty program instrument updated with the stored combined loyalty points.

110. (New) The computer implemented method of claim 36, wherein the issued machine readable loyalty program instrument is new.